

THE TRADEMAN'S CHOICE



It's not just a CAULKING GUN It's a SVENIC

Hanging hook enhances safety and convenience. Caulking gun can be hung from the ladder, gutter, belt, etc.

PRO GUN MV

Hardened steel push rod for longer life.

Strong, lightweight, metal construction ensures reliability.

Minimal wasted trigger movement from thick, smooth, steel catch plate.

Dripless function releases pressure from cartridge automatically.

- ✓ NO Mess
- √ NO Fuss
- √ NO Waste
- ✓ NO Drip

7:1 Trigger thrust exerts up to 1.2 kN force.

Outperforms and outlasts cheap inferior products that can result in operator injury or customer dissatisfaction

Dispenses 300 ml cartridges of silicone, gap sealant, timber adhesive and other low to medium viscosity materials

Exceptional value

Durable and reliable; designed to last

Stores conveniently in toolbox

Skeleton design and mechanism proven over 35 years

Not recommended for high viscosity materials

Premium tough epoxy powder coating resists corrosion.

Reduced user fatigue due to comfortable, easy trigger operation and balanced design.

Puncture wire pierces cartridges with a membrane, eliminating the need for a nail or separate tool.



It's not just a CAULKING GUN It's a SVENIC

FEATURES & BENEFITS

Automatic 'No Drip' Trigger

No Mess | No Fuss | No Waste | No Drip

Durable & Reliable

Exceptional Value | Designed to Last Outstanding Performance

Strong & Lightweight

Metal Construction Ensures Reliability

Premium Quality

Tough Epoxy Powder Coating Resists Corrosion

Hardened Push Rod

Increases Working Life

Contoured & Balanced Design

Reduces User Fatigue | Comfortable, Easier Operation for All Hand Sizes

Hanging Hook

Enhances Safety | User Convenience | Allows Caulking Gun to be Hung from Ladder | Gutter | Belt | Storage

7:1 Trigger Thrust

Exerts up to 1.2 kN of Force

Stores Conveniently in Toolbox

Infinite Incremental Rod Movements & Better Dispensing Control

Push Rod is Friction Driven | Push Rod Cannot Strip Like a Ratchet Driven Push Rod

Skeleton Design & Mechanism

Proven Over 35 Years

Out Performs & Outlasts

Cheap Inferior Products

Dispenses 300 ml Cartridges

Gap Sealants | Timber Adhesives | Silicones | Caulks | Other Low to Medium Viscosity Materials

Thick, Smooth Catch Plate

Results in Minimal Wasted Trigger Action | Increased Work Life & Productivity

Puncture Wire

Pierces Cartridges with a Membrane | Eliminates Need for Nail or Separate Tool

Units per Carton: 24 | Carton Weight: 12.6 kg

Carton Dimensions: 38 X 20 X 35 cm

CHOOSE THE BEST SVENIC TOOL FOR YOUR JOB:

PRODUCT CODE	DESCRIPTION	TRIGGER RATIO (THRUST)	MAXIMUM POWER (FORCE)	MATERIALS DISPENSED VISCOSITY	IDEAL FOR	*ESTIMATED CARTRIDGES DISPENSED
614TLV	PRO GUN 2 LV	7:1	1.0 kN	Low	Painters	100
616TLV	PRO GUN MV	7:1	1.2 kN	Low to Medium	Tradesmen	200
620TLV	HV 12 GUN	12:1	2.5 kN	Low to High	Tradesmen & Professionals	500
623TLV	HV 26 GUN	26:1	4.5 kN	Low to Very High	Tradesmen & Professionals	1000
625TLV	JUMBO GUN	12:1	2.5 kN	Low to Medium	Tradesmen & Professionals	250
676TLV	BG 12 BARREL GUN	12:1	2.5 kN	Low to High	Tradesmen & Professionals	500
685TLV	POINTING PRO GUN	12:1	2.5 kN	Low to Medium	Tradesman & Professionals	N/A



OVER 35 YEARS SPECIALISING IN CAULKING GUN ITCHNOLOGY It's not just a CAULKING GUN It's a SVENIC

614TLV PRO GUN 2 LV

Carton Quantity: 25 | Carton Weight: 8.6 kg | Carton Dimensions: 38 x 20 x 35 cm



The Painter's Choice for dispensing 300 ml cartridges of gap sealant, silicone and other low viscosity materials. Not suitable for medium to high viscosity materials.

7:1 Trigger Thrust

Exerts up to 1.0 kN of Force

Automatic 'No Drip' Trigger

No Mess | No Fuss | No Waste | No Drip

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Resilient Tough Frame

Made from Nylon 6 & 20% Glass Reinforcing

Moulded Cartridge Support Strap

Holds Cartridge in Place

616TLV PRO GUN MV

Carton Quantity: 24 | Carton Weight: 12.6 kg | Carton Dimensions: $38 \times 20 \times 35 \text{ cm}$



The Trademan's Choice for dispensing 300 ml cartridges of gap sealant, silicone and other low to medium viscosity materials. Not suitable for high viscosity (thick) materials.

7:1 Trigger Thrust

Exerts up to 1.2 kN of Force

Automatic 'No Drip' Trigger

No Mess | No Fuss | No Waste | No Drip

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Strong Lightweight Metal Construction

Ensures Reliability

Durable Construction

Providing Excellent Performance

620TLV HV 12 GUN

Carton Quantity: 12 | Carton Weight: 9.8 kg | Carton Dimensions: 38 x 25 x 25 cm



The Professional's Choice for dispensing 300 ml cartridges of gap sealant, timber adhesive, silicone, caulk and PU. Suitable for low to high viscosity materials.

12:1 Trigger Thrust

Exerts up to 2.5 kN of Force Thick Materials Easier to Dispense

Wear Compensating Device

Extends Working Life | Eliminates Loss of Trigger Movement

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Durable, Reliable & Very Powerful

Delivers Exceptional Performance

Double Catch Plate

Provides Greater Impact Resistance Better Grip to Rod

Balanced Design | Profiled Hand Grip

Provides Comfortable Use | All Hand Sizes

623TLV HV 26 GUN

Carton Quantity: 12 | Carton Weight: 12.1 kg | Carton Dimensions: $38 \times 27 \times 31 \text{ cm}$



The Professional's Choice for dispensing 300 ml cartridges of gap sealant, timber adhesive, silicones, caulk and PU. Suitable for low to very high viscosity materials.

26:1 Trigger Thrust

Exerts up to 4.5 kN of Force | Thick Materials Much Easier to Dispense

Wear Compensating Device

Extends Working Life | Eliminates Loss of Trigger Movement

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Durable, Reliable w/ Superior Power

Delivers Exceptional Performance

Double Catch Plate

Provides Greater Impact Resistance Better Grip to Rod

Balanced Design | Profiled Hand Grip

Provides Comfortable Use | All Hand Sizes



OVER 35 YEARS SPECIALISING IN CAULKING GUN TECHNOLOGY

It's not just a CAULKING GUN It's a SVENIC

625TLV JUMBO GUN

Carton Quantity: 12 | Carton Weight: 13.4 kg | Carton Dimensions: 48 x 29 x 29 cm



The Professional's Choice for dispensing 850 ml cartridges of timber and panel adhesive, silicone, caulk and mastic. Suitable for low to medium viscosity materials.

12.1 Trigger Thrust

Exerts up to 2.5 kN of Force Most Materials Easier to Dispense

Wear Compensating Device

Extends Working Life | Eliminates Loss of Trigger Movement

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Durable, Reliable w/ Superior Power

Delivers Exceptional Performance

Double Catch Plate

Provides Greater Impact Resistance Better Grip to Rod

Balanced Design | Profiled Hand Grip

Provides Comfortable Use | All Hand Sizes

676TLV BG 12 BARREL GUN

Carton Quantity: 10 | Carton Weight: 10.6 kg | Carton Dimensions: 50 x 28 x 28 cm



The Professional's Choicefor dispensing 600 ml sachets (sausages) and 300 ml cartridges of gap sealant, timber adhesive, silicone, caulk and PU. Suitable for low to high viscosity materials.

12.1 Trigger Thrust

Exerts up to 2.5 kN of Force Thick Materials Easier to Dispense

Wear Compensating Device

Extends Working Life | Eliminates Loss of Trigger Movement

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Rotating Barrel

Allows Continuous Beading whilst Dispensing

Durable, Reliable & Very Powerful

Delivers Exceptional Performance

Double Catch Plate

Provides Greater Impact Resistance Better Grip to Rod

Balanced Design | Profiled Hand Grip

Provides Comfortable Use | All Hand Sizes

685TLV POINTING PRO GUN

Carton Quantity: 6 | Carton Weight: 15.1 kg | Carton Dimensions: 50 x 48 x 31 cm



The Professional's Tool for repointing, grouting, filling gaps and joints between brick work, pavers, tiles and stonework. Ideal for dispensing sand cement mixtures, mortars, grouts and pre-formulated materials.

12.1 Trigger Thrust

Exerts up to 2.5 kN of Force Thick Materials Easier to Dispense

800 ml Barrel Capacity

Low Maintenance | Very Easy to Use Quick Cleaning

Wear Compensating Device

Extends Working Life | Eliminates Loss of Trigger Movement

Individually Packaged

In POS Box

Hanging Hook

Great for Ladder | Gutter | Belt | Storage

Hardened Push Rod

Increases Working Life

Durable, Reliable w/ Superior Power

Delivers Exceptional Performance

Double Catch Plate

Provides Greater Impact Resistance Better Grip to Rod

Balanced Design | Profiled Hand Grip

Provides Comfortable Use | All Hand Sizes





It's not just a CAULKING GUN It's a SVENIC

CAULKING GUNS

Svenic has been a leading supplier of quality sealant and adhesive application equipment since 1984.

We have available, a range of friction driven skeleton Caulking Guns designed to dispense small (300 ml) and large (850 ml) rigid cartridges, containing a variety of products, including high viscosity materials. Unlike Caulking Guns which are ratchet driven, the push rod on our totally friction driven mechanism cannot strip and provides for infinite incremental rod movements and better dispensing control.

Our range ensures that customers have an extensive variety of products available which are suitable for the handyman or price conscious user, through to tradesmen and professionals, who must demand nothing less than high quality tools.

In addition to our skeleton gun range, Svenic also provides Barrel Guns for sachets (sausages), Air and Battery Guns for sachets and cartridges, a range of 2 Part Guns as well as other specialist Caulking Guns.

OPERATING INSTRUCTIONS | SKELETON GUN RANGE:



Hold applicator as shown above. Whilst depressing thumb release plate withdraw push rod.



Never hold the applicator as shown above. The push rod cannot be withdrawn whilst the trigger is depressed – even slightly. Any pressure on the trigger will lock the push rod in place.



Insert cartirdges as indicated. Ensure front of cartridge is placed securely within the guns end ring.



Move push rod hard against cartridge plunger. Cut cartridge and nozzle as required and depress trigger to commence gunning.

Svenic[™] Australia Pty Ltd 2/5 Enterprise St Molendinar, QLD 4214 Australia Tel +61 7 5539 2255 info@svenic.com.au | www.svenic.com.au YouTube: www.youtube.com/SvenicAustralia Warranty: This product is warranted against faulty workmanship and materials for 12 months from date of purchase. Faults related to abuse or normal wear and tear are not covered. Purchasers should retain their proof of purchase.